

TECHNICAL SPECIFICATIONS

OPTICAM CLASSIC VERSION 7.0 / OPTICAM CLASSIC VERSION 8

Interfaces DXF, DWG, IGES, HP-MI, VDAFS, STEP, XMT, SAT, STL, Creo (ProE), Ideas, JT Open, CATIA V4, CATIA V5, CATIA V6, Siemens NX, SolidWorks, Inventor, Rhino, HiCAD, Solid Edge, Gerber, Mecanic, Daveg

Operating System

OPTICAM Classic Version 7.0
Minimum requirement: Windows 7 32-Bit
Recommended: Windows 7 64-Bit

OPTICAM Classic Version 8.0
Minimum requirement: Windows 7 32/64-Bit
Recommended: Windows 10 32/64-Bit

OPTICAM Classic Version 8.1/8.2
Minimum requirement: Windows 7 64-Bit
Recommended: Windows 10 64-Bit

Processor

Minimum requirement: Intel i5 Quadcore processor
Recommended: Intel i7 Quadcore processor
Intel Xeon E3 Quadcore processor

Main Memory

OPTICAM Classic Version 7.0/8.0
Minimum requirement: 4 GB RAM
Recommended: 8 GB RAM or more

OPTICAM Classic Version 8.1/8.2
Minimum requirement: 8 GB RAM
Recommended: 16 GB RAM or more

Monitor Recommended: At least 24" Monitor, 1920x1080, 32-Bit color depth

Hard Drive Space

Minimum requirement: 10 GB free space
Recommended: 30 GB free space

Graphics Card

In order for OPTICAM Classic to work properly, you need a CAD-optimized graphics card. To find the graphics card that fits for your purposes, please feel free to contact us.

Minimum requirement: Graphics card with 2 GB memory
Recommended: Graphics card with 4 GB memory
(no shared memory / onboard chipsets)